



Floor Maintenance Pads



Cleaner Floors.
Cleaner Environment.

Floor Pads and Accessories

STRIPPING PADS

ELIMINATOR MAX BURGUNDY STRIP

DOM (Pad size)

For the heaviest duty stripping tasks. Extra heavy denier fiber, more abrasive grit and more open weave make this the ultimate stripping pad. Up to 350 RPM.



BLACK STRIP

FS1 (Pad size)

Designed for heavy duty wet stripping. Aggressively removes wax, dirt and finish. Up to 350 RPM.



QUICK STRIP

HP (Pad size)

Extra aggressive stripping pad. Removes heavy buildup of wax, dirt and finish. Up to 350 RPM.



BROWN STRIP

FSB (Pad size)

Designed for wet stripping. Removes wax, dirt and finish in preparation for refinishing. Up to 350 RPM.



BUFFING, CLEANING AND SCRUBBING PADS

RED BUFF

FB5 (Pad size)

For light cleaning and buffing. Removes light scuff marks and dirt while producing a smooth, glossy finish. Ideal for daily spray buffing. Up to 800 RPM.



TIME SAVER AUTO SCRUB "THE PINK ONE"

FAS (Pad size)

The ultimate cleaning pad to use with auto scrubbers. Cleans light dirt and scuff marks, including black heel marks. Prepares floors for burnishing. Up to 350 RPM.



TAN BUFF

FBT (Pad size)

For dry buffing and light cleaning. Removes light scuff marks and dirt while shining floors. Up to 800 RPM.



BLUE SCRUB

FS3 (Pad size)

For light scrubbing or heavy duty spray cleaning. Removes dirt and scuff marks from heavily soiled floors prior to recoating. Up to 350 RPM.



WHITE POLISH

FB6 (Pad size)

Extra fine pad for polishing clean dry floors. Use dry or with a fine water mist to produce a high gloss wet look to newly finished floors. Up to 1000 RPM.



GREEN SCRUB


FSG (Pad size)

For heavy-duty wet scrubbing or light stripping. This pad will aggressively remove dirt and scuff marks from heavily soiled floors. Up to 350 RPM.



CocoPad (under Burnishing Pads) is also great for daily cleaning with autoscrubbers up to 1000 RPM.

RECTANGULAR & TRAPEZOID PADS



Rectangular pads are designed for use on orbital/oscillating scrubbers. Trapezoid shape is for use with the Taski swingo XP automatic scrubber drier. The Taski unit uses a micro-rotating movement versus conventional rotary or cylindrical systems.

Both are available in a wide variety of pad types and sizes.



BURNISHING PADS

NATURAL MAX HAIR BURNISHING

FNM (Pad Size)

UHS burnishing pad that contains the highest amount of hog hair. Perfect for higher solids and harder finishes which require a more aggressive pad to achieve the desired appearance. Up to 3000 RPM.



BUCKAROO® NATURAL HAIR PAD

FBB (Pad Size)

Ideal pad for high frequency burnishing on medium to hard floor finishes. Constructed of blended polyester and natural fibers, this pad performs well in heavy traffic applications due to its high gloss results, and light cleaning ability. Up to 3000 RPM.



NATURAL FIBER BURNISH HAIR

FB1 (Pad Size)

This pad contains a high content of natural fibers that produce a "wet look" finish. Ideal for minimal burnishing on hard surfaces. Up to 3000 RPM.



COCO PAD®

FCC (Pad Size)

A dual purpose pad - great for burnishing and cleaning. The Coco oil in the pad provides natural lubrication. Designed for frequent burnishing on soft to medium floor finishes to provide high gloss results. Also great for daily cleaning with automatic scrubbers up to 1,000 rpm. Pleasant coconut scent. Up to 3000 RPM.



NATURAL POLY BURNISH HAIR

FPB (Pad Size)

Ideal for use with propane burnishers but also works on all ultra high speed machines. For minimal burnishing on medium to hard finishes. Up to 3000 RPM.



NATURAL LIGHT HAIR

FNL (Pad Size)

Blended polyester and natural fibers. For frequent burnishing on soft to medium finishes. This pad produces an extra high gloss when buffing or burnishing. Up to 3000 RPM.



RUB OUT BURNISHING

FRB (Pad Size)

UHS burnishing pad with a special binder formulation that allows the pad to remove black marks and restore gloss. For medium to hard floor finishes. Up to 3000 RPM.



AQUA BURNISHING

FBA (Pad Size)

Formulated for high frequency burnishing on soft to medium floor finishes. Produces a brilliant gloss. Up to 3000 RPM.



CHAMPAGNE BURNISHING

FCB (Pad Size)

Unique rubberized binder. For soft to medium floor finishes. Up to 3000 RPM.



JOEY® BURNISH PAD

FBJ (Pad Size)

Specially formulated for soft to medium floor finishes where frequent UHS burnishing is required. The pad lends itself well to retail applications due to the high gloss expectations and daily burnishing ability. Joey is manufactured with a unique fiber blend and increased density, which allows for longer life of the pad. Up to 3000 RPM.



BEIGE POLY THERMAL

FB4 (Pad Size)

For thermal buffing and burnishing. Ideal for frequent burnishing on soft to medium finishes. Up to 3000 RPM.



BABY BLUE

LL (Pad Size)

For burnishing soft floor finishes. May be used on a daily basis. Ideally suited for top dressing highly polished floors. Up to 3000 RPM.



SUPER SOFT WHITE BURNISHING

FSWB (Pad Size)

UHS burnishing pad with an ultra soft feel that allows you to burnish between coats of floor finish. Will create amazing shine without the 24 hour wait for curing. Ideal for finishes ranging from soft to hard. Up to 3000 RPM.



SPECIALTY PADS

MAROON ECO

MEP (Pad size)

This stripping pad meets today's challenge of being environmentally sound while producing superior results as it is designed for use without chemicals for wet or dry stripping and deep scrubbing. Its open web construction reduces build up on the pad's surface which gives it a longer cleaning life. Perfect for terrazzo, natural stone and VCT floors. Up to 350 RPM.



MAROON WOOD PREP

FM (Pad size)

Pro-Link's thin line Maroon Wood Prep Pad has been specially designed to create a very fine cut pattern on cured water bases urethane finish, between coats. Up to 350 RPM.



MICROFIBER CLEANING

MFC (Pad Size)

Works great for daily cleaning. Will not damage the floor finish and extends the finish life. Pad may be used on a single disc or auto scrubber. Up to 350 RPM.



MICROFIBER BURNISHING

MFB (Pad Size)

Ultra high speed burnishing pad has soft, fine fibers that will not damage the finish and helps eliminate powdering. Ideal for use on uneven surfaces. Will not burn floors. Reduces the potential for airborne dust. Up to 3000 RPM.



X-OUT MELAMINE FLOOR PAD

FX (Pad Size)

Effectively cleans floors producing outstanding results. Excellent for cleaning shallow grouted floors, periodic deep cleaning, and the removal of stubborn black marks. 100% open cell melamine Polymeric white foam for cleaning the floors and a brown non-woven backing. Best suited for standard speed machines: single disc, oscillating and automatic scrubbers.



TWISTER™ FLOOR PADS

Twister floor pads contain billions of microscopic diamonds to clean and polish the floor mechanically without the use of chemicals. They are the ideal solution for providing high gloss while restoring the beautiful features of your floor. Designed for use on terrazzo, natural stone, concrete, vinyl and composition tile floors.

Use the Twister 3-Step Process for restoration, then switch to daily maintenance using Twister Green.

TWISTER WHITE

TWI (Pad Size) W
800 Grit

Step 1: Removes tiny scratches from the surface, leaving a clean, and well-prepared silky matte surface. For floors requiring heavy duty restoration.



TWISTER YELLOW

TWI (Pad Size) Y
1500 Grit

Step 2: Smooths out and prepares the floor for the final step – polishing. For floors requiring medium restoration.



TWISTER GREEN

TWI (Pad Size) G
3000 Grit

Step 3: Polishes the floor to a high gloss. Ideal for regular maintenance on restored floors.



TWISTER STARTER PACK

TWI (Pad Size) P

Ideal for testing the Twister solution. Contains one each of the Twister White pad, Twister Yellow pad and Twister Green pad.



More aggressive Twister pads, black (TWB, 200 grit) and red (TWR, 400 grit) are also available.

Actual pad color is brown/black, with White, Green or Yellow color spot.